

Safety Data Sheet

Version No.10 Dated 08/03/2023 Page **1** of **18**

Section 1- Identification of the Mixture and of the Company/Undertaking

1.1. Product Identifier

Product name: ACOUSLIME 4 in 1 - 600ml sausage

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use: Timber Flooring adhesive - Used in Construction

1.3. Details of the supplier of the Safety Data sheet

Registered Company name: ACOUSLIME Pty Ltd

Address: Shop 5, 37 Wells Rd. Seaford VIC 3198. Australia

Phone +61 3 9776 4433

Email: admin@acouslime.com.au

www.acouslime.com.au

This version issued: Revision No.10 (8th March 2023)

1.4. Emergency telephone numbers

Poisons Information Centre: Phone 13 11 26 from anywhere in Australia 24 hour Service

Phone 0800 764 766 in New Zealand

Section 2 – Hazards Identification

PLEASE READ ALL LABELS CAREFULLY BEFORE USING THIS PRODUCT

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878.

Hazard classification and indication: --



Safety Data Sheet Version No.10 Dated 08/03/2023

Page 2 of 18

Section 2 – Hazards Identification (Continued)

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --

Signal words: --

Hazard statements:

EUH210 Safety Data Sheet available on request.

EUH208 Contains: Trimethoxyvinylsilane

N-(3 -(trimethoxysilyl)propyl)ethylenediamine

May produce an allergic reaction.

Precautionary statements: --

Product not intended for uses provided for by Directive 2004/42/EC.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product On does not contain substances with endocrine disrupting properties in concentration $\geq 0.1\%$.

Section 3 – Composition & Information on Ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

Silica, amorf

CAS 67762-90-7 $1 \le x < 6$ Substance with a community workplace exposure

limit. EC

INDEX



Safety Data Sheet

Version No.10 Dated 08/03/2023

Page 3 of 18

Section 3 – Composition & Information on Ingredients (Continued)

N-(3-(trimethoxysilyl)propyl)ethylenediamine

CAS 1760-24-3 $0.6 \le x < 0.7$ Eye Dam. 1 H318, STOT SE 3 H335, Skin Sens. 1 H317

EC 217-164-6

INDEX

REACH Reg.01-2119970215-39

TrimethoxyvinyIsilane

CAS 2768-02-7 $0.5 \le x < 0.6$ Flam. Liq. 3 H226, Acute Tox. 4 H332, Skin Sens. 1B H317

220-449-8 LC50 Inhalation vapours: 16,8 mg/l

INDEX

EC

REACH Reg.01-2119513215-52

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Section 4 – First Aid Measures

4.1. Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed Information not available

Section 5 – Fire Fighting Measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.



Safety Data Sheet Version No.10 Dated 08/03/2023

Page 4 of 18

Section 5 – Fire Fighting Measures (Continued)

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

Section 6 - Accidental Release Measurements

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.



Safety Data Sheet Version No.10 Dated 08/03/2023

Page 5 of 18

Section 7 - Handling and Storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s) Information not available

Section 8 - Exposure Controls and Personal Protection

8.1. Control parameters

Regulatory References:

EU OEL EU Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC

Silica, amorf							
Threshold Limit Value							
Туре	Country	TWA/8h mg/m3	ppm	STEL/15 min	Remarks / Observations		
OEL	EU	10			INHAL		
OEL	EU	3			RESP		

N-(3-(trimethoxysilyl)propyl)	ethylenediamine	
Predicted no-effect concentration - PNEC		
Normal value in fresh water	0,062	mg/l
Normal value in marine water	0,006	mg/l
Normal value for fresh water sediment	0,22	mg/kg/d
Normal value for marine water sediment	0,022	mg/kg/d
Normal value for water, intermittent	0,62	mg/l
release		
Normal value of STP microorganisms	25	mg/l
Normal value for terrestrial compartment	0,009	mg/kg/d



Safety Data Sheet

Version No.10 Dated 08/03/2023

Page 6 of 18

Section 8 - Exposure Controls and Personal Protection - (Continued)

Health - Derived no-		<mark>(3-(trimethoxys</mark> vel - DNEL /	silyl)propyl)ethylenedia	amine(conti	inued)		
Route of exposure	Effects of Acute	on consumers Acute	Chronic	Chronic	Effects on Acute	workers Acute	Chronic	Chronic
Inhalation	local 4 mg/m3	systemic	local 0,1 mg/m3	systemic	local 5,36 mg/m3	systemic	local 0,6 mg/m3	systemic

Trimethoxyvinylsi	lane	
Predicted no-effect concentration - PNEC		
Normal value in fresh water	0,4	mg/l
Normal value in marine water	0,04	mg/l
Normal value for fresh water sediment	1,5	mg/kg/d
Normal value for marine water sediment	0,15	mg/kg/d
Normal value for water, intermittent release	2,4	mg/l
Normal value of STP microorganisms	6,6	mg/l
Normal value for the terrestrial compartment	0,06	mg/kg

Health - Derived no-effect level - DNEL / DMEL

DIVILL								
Route of exposure	Effects of Acute	n consumers Acute	Chronic	Chronic	Effects on we Acute	orkers Acute	Chronic	Chronic
Oral	local	systemic	local	systemic 0,3 mg/kg bw/d	local	systemic	local	systemic
Inhalation				6,7 mg/m3				27,6 mg/m3
Skin				7,8 mg/kg bw/d				3,9 mg/kg bw/d

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

Enquiries: admin@acouslime.com.au

Ph: +61 3 9776 4433 **VIC** Rear of Shop 5, 37 Wells Rd. Seaford 3198



Safety Data Sheet Version No.10 Dated 08/03/2023

Page 7 of 18

Section 8 - Exposure Controls and Personal Protection - (Continued)

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.



Safety Data Sheet Version No.10 Dated 08/03/2023

Information

Page 8 of 18

Section 8 - Exposure Controls and Personal Protection - (Continued)

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Section 9 – Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Properties		Value
Appearance		paste
Colour		Light wood
Odour		Faint
Melting point / freezing point		Not available
Initial boiling point	>	100 °C
Flammability		not flammable
Lower explosive limit		Not available
Upper explosive limit		Not available
Flash point	>	100 °C
Auto-ignition temperature		Not available
рН		Not available
Kinematic viscosity		81680 cST
Dynamic viscosity		140000 mPas
Solubility		insoluble in water
Partition coefficient: n-octanol/water		Not available
Vapour pressure		Not available
Density and/or relative density		Not available
Relative vapour density		Not available
Particle characteristics		Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

Enquiries: admin@acouslime.com.au

Ph: +61 3 9776 4433 **VIC** Rear of Shop 5, 37 Wells Rd. Seaford 3198



Safety Data Sheet Version No.10 Dated 08/03/2023

Page 9 of 18

Section 10 - Stability and Reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

Section 11 - Toxicological Information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

www.acouslime.com.au



Safety Data Sheet Version No.10 Dated 08/03/2023

Page 10 of 18

Section 11 - Toxicological Information - (Continued)

Information on likely routes of exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

ATE (Oral) of the mixture:

Not classified (no significant component)

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

Silica, amorf

LD50 (Dermal): > 2000 mg/kg ratto LD50 (Oral): > 5000 mg/kg ratto LC50 (Inhalation mists/powders): 0,139 mg/l/4h ratto

N-(3-(trimethoxysilyI)propyI)ethylenediamine

LD50 (Dermal): > 2000 mg/kg Rabbit LD50 (Oral): 2295 mg/kg Rat

Trimethoxyvinylsilane

LD50 (Dermal): 3200 mg/kg Rabbit LD50 (Oral): > 2000 mg/kg Rat LC50 (Inhalation vapours): 16,8 mg/l Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class



Safety Data Sheet Version No.10 Dated 08/03/2023

Page 11 of 18

Section 11 - Toxicological Information - (Continued)

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Trimethoxyvinylsilane

N-(3-(trimethoxysilyI)propyI)ethylenediamine

Respiratory sensitization

Information not available

Skin sensitization

Information not available

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available



Safety Data Sheet Version No.10 Dated 08/03/2023

Page 12 of 18

Section 11 – Toxicological Information – (Continued)

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class Viscosity: 81680 cST

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation

Section 12 – Ecological Information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Trimethoxyvinylsilane

LC50 - for Fish 191 mg/l/96h Oncorhynchus mykiss EC50 - for Crustacea 169 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 210 mg/l/72h Selenastrum capricornutum

EC10 for Algae / Aquatic Plants

28 mg/l/28d Selenastrum capricornutum



Safety Data Sheet

Version No.10 Dated 08/03/2023

Page 13 of 18

Section 12 – Ecological Information (Continued)

Chronic NOEC for Crustacea 28 mg/l Daphnia magna

N-(3-(trimethoxysilyl)propyl)ethylenediamine

LC50 - for Fish 597 mg/l/96h Brachydanio rerio EC50 - for Crustacea 81 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 126 mg/l/72h Desmodesmus subspicatus

Silica, amorf

LC50 - for Fish > 10000 mg/l/96h Brachydanio rerio EC50 - for Crustacea > 1000 mg/l/48h Daphnia magna

12.2. Persistence and degradability

Trimethoxyvinylsilane NOT rapidly degradable

N-(3-(trimethoxysilyl)propyl)ethylenediamine Rapidly degradable

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available



Safety Data Sheet Version No.10 Dated 08/03/2023

Page 14 of 18

Section 13 - Disposal Considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management Regulations.

Section 14 – Transportation Information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable



Safety Data Sheet Version No.10 Dated 08/03/2023

Page 15 of 18

Section 14 – Transportation Information (Continued)

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

Section 15 – Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category – Directive Category 2012/18/EU None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 40

Contained substance

Point 75

Point 52 DIISONONYL PHTHALATE

Regulation (EUO 2019/1148 - on the marketing and use of explosives precursors

Not applicable

Substances in Candidate list (Art.59 REACH)

On the basis of the available data, the product does not contain any SVHC in percentage ≥ than 0,1%

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012

None

Substances subject to the Rotterdam convention

None

Substances subject to the Stockholm convention

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2 Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in Section 3.



Safety Data Sheet

Version No.10 Dated 08/03/2023

Page 16 of 18

Section 16 – Other Information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3 Flammable liquid, category 3
Acute Tox. 4 Acute toxicity, category 4

Serious and demand actors a

Eye Dam. 1 Serious eye damage, category 1

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Skin Sens. 1 Skin sensitization, category 1 H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

H318 Causes serious eye damage.
 H335 May cause respiratory irritation.
 H317 May cause an allergic skin reaction.
 EUH210 Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%



Safety Data Sheet

Version No.10 Dated 08/03/2023

Page 17 of 18

Section 16 – Other Information (Continued)

- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- pub: Very Persistent and very Bioaccumulative as for REACH Regulation- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)



Safety Data Sheet

Version No.10 Dated 08/03/2023

Page 18 of 18

15. Section 16 - Other Information

- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP) 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 20. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)

-

- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

This SDS contains only safety-related information. For other data see product literature.

Changes to previous review. The following sections were modified: 01 / 02 / 03 / 08 / 09 / 11 / 12 / 15 / 16

This SDS contains only safety-related information. For other data see product literature.